
GENTLES_modul5
GSZ
20
15
10
5
0
−5
−10


GENTLES_modul5
GSZ
20
15
10
5
0
−5
−10
Atypical
Classical
Mesenchymal
Basal


Enrichment in spots: GENTLES_modul5
log(p.value)
0
1
2
3
4
5
6
A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R


Expression of GENTLES_modul5 in Spot A
Δe
0.5
0.0
−0.5
−1.0

Expression of GENTLES_modul5 in Spot B
Δe
0.5
0.0
−0.5
−1.0


Expression of GENTLES_modul5 in Spot C
Δe
0.5
0.0
−0.5
−1.0


Expression of GENTLES_modul5 in Spot D
Δe
0.5
0.0
−0.5
−1.0

Expression of GENTLES_modul5 in Spot E
Δe
0.5
0.0
−0.5
−1.0


Expression of GENTLES_modul5 in Spot F
Δe
0.5
0.0
−0.5
−1.0


Expression of GENTLES_modul5 in Spot G
Δe
0.5
0.0
−0.5
−1.0


Expression of GENTLES_modul5 in Spot H
Δe
0.5
0.0
−0.5
−1.0


Expression of GENTLES_modul5 in Spot I
Δe
0.5
0.0
−0.5
−1.0


Expression of GENTLES_modul5 in Spot J
Δe
0.5
0.0
−0.5
−1.0


Expression of GENTLES_modul5 in Spot K
Δe
0.5
0.0
−0.5
−1.0


Expression of GENTLES_modul5 in Spot L
Δe
0.5
0.0
−0.5
−1.0


Expression of GENTLES_modul5 in Spot M
Δe
0.5
0.0
−0.5
−1.0


Expression of GENTLES_modul5 in Spot N
Δe
0.5
0.0
−0.5
−1.0


Expression of GENTLES_modul5 in Spot O
Δe
0.5
0.0
−0.5
−1.0


Expression of GENTLES_modul5 in Spot P
Δe
0.5
0.0
−0.5
−1.0


Expression of GENTLES_modul5 in Spot Q
Δe
0.5
0.0
−0.5
−1.0


Expression of GENTLES_modul5 in Spot R
Δe
0.5
0.0
−0.5
−1.0