




A polymerase II core promoter proximal region sequence-specific DNA binding transcription factor activity involved in positive regulation of transcr




A polymerase II core promoter proximal region sequence-specific DNA binding transcription factor activity involved in positive regulation of transcr




A polymerase II core promoter proximal region sequence-specific DNA binding transcription factor activity involved in positive




RNA polymerase II core promoter proximal region sequence-specific DNA binding transcription factor activity involved in positive regulation of trans




RNA polymerase II core promoter proximal region sequence-specific DNA binding transcription factor activity involved in positive regulation of trans




RNA polymerase II core promoter proximal region sequence-specific DNA binding transcription factor activity involved in positive regulation of trans



RNA polymerase II core promoter proximal region sequence-specific DNA binding transcription factor activity involved in positive regulation of trans




RNA polymerase II core promoter proximal region sequence-specific DNA binding transcription factor activity involved in positive regulation of trans







RNA polymerase II core promoter proximal region sequence-specific DNA binding transcription factor activity involved in positive regulation of trans




RNA polymerase II core promoter proximal region sequence-specific DNA binding transcription factor activity involved in positive regulation of trans




RNA polymerase II core promoter proximal region sequence-specific DNA binding transcription factor activity involved in positive regulation of trans




RNA polymerase II core promoter proximal region sequence-specific DNA binding transcription factor activity involved in positive regulation of tran




RNA polymerase II core promoter proximal region sequence-specific DNA binding transcription factor activity involved in positive regulation of trans




RNA polymerase II core promoter proximal region sequence-specific DNA binding transcription factor activity involved in positive regulation of trans



RNA polymerase II core promoter proximal region sequence-specific DNA binding transcription factor activity involved in positive regulation of trans




RNA polymerase II core promoter proximal region sequence-specific DNA binding transcription factor activity involved in positive regulation of trans







RNA polymerase II core promoter proximal region sequence-specific DNA binding transcription factor activity involved in positive regulation of trans




RNA polymerase II core promoter proximal region sequence-specific DNA binding transcription factor activity involved in positive regulation of trans



RNA polymerase II core promoter proximal region sequence-specific DNA binding transcription factor activity involved in positive regulation of trans



RNA polymerase II core promoter proximal region sequence-specific DNA binding transcription factor activity involved in positive regulation of trans



RNA polymerase II core promoter proximal region sequence-specific DNA binding transcription factor activity involved in positive regulation of trans

