
SIG_CD40PATHWAYMAP
GSZ
20
15
10
5
0
−5
−10


SIG_CD40PATHWAYMAP
GSZ
20
15
10
5
0
−5
−10
Atypical
Classical
Mesenchymal
Basal


Enrichment in spots: SIG_CD40PATHWAYMAP
log(p.value)
0.6
0.4
0.2
0.0
A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R


Expression of SIG_CD40PATHWAYMAP in Spot A
1.0
0.5
0.0
−0.5
−1.0
Δe


Expression of SIG_CD40PATHWAYMAP in Spot B
1.0
0.5
0.0
−0.5
−1.0
Δe


Expression of SIG_CD40PATHWAYMAP in Spot C
1.0
0.5
0.0
−0.5
−1.0
Δe


Expression of SIG_CD40PATHWAYMAP in Spot D
1.0
0.5
0.0
−0.5
−1.0
Δe


Expression of SIG_CD40PATHWAYMAP in Spot E
1.0
0.5
0.0
−0.5
−1.0
Δe


Expression of SIG_CD40PATHWAYMAP in Spot F
1.0
0.5
0.0
−0.5
−1.0
Δe


Expression of SIG_CD40PATHWAYMAP in Spot G
1.0
0.5
0.0
−0.5
−1.0
Δe


Expression of SIG_CD40PATHWAYMAP in Spot H
1.0
0.5
0.0
−0.5
−1.0
Δe


Expression of SIG_CD40PATHWAYMAP in Spot I
1.0
0.5
0.0
−0.5
−1.0
Δe


Expression of SIG_CD40PATHWAYMAP in Spot J
Δe
1.0
0.5
0.0
−0.5
−1.0


Expression of SIG_CD40PATHWAYMAP in Spot K
1.0
0.5
0.0
−0.5
−1.0
Δe


Expression of SIG_CD40PATHWAYMAP in Spot L
1.0
0.5
0.0
−0.5
−1.0
Δe


Expression of SIG_CD40PATHWAYMAP in Spot M
1.0
0.5
0.0
−0.5
−1.0
Δe


Expression of SIG_CD40PATHWAYMAP in Spot N
1.0
0.5
0.0
−0.5
−1.0
Δe


Expression of SIG_CD40PATHWAYMAP in Spot O
1.0
0.5
0.0
−0.5
−1.0
Δe


Expression of SIG_CD40PATHWAYMAP in Spot P
1.0
0.5
0.0
−0.5
−1.0
Δe


Expression of SIG_CD40PATHWAYMAP in Spot Q
1.0
0.5
0.0
−0.5
−1.0
Δe


Expression of SIG_CD40PATHWAYMAP in Spot R
1.0
0.5
0.0
−0.5
−1.0
Δe