
STEIN_ESRRA_TARGETS
GSZ
20
15
10
5
0
−5
−10


STEIN_ESRRA_TARGETS
GSZ
20
15
10
5
0
−5
−10
Atypical
Classical
Mesenchymal
Basal


Enrichment in spots: STEIN_ESRRA_TARGETS
log(p.value)
1.5
1.0
0.5
0.0
A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R


Expression of STEIN_ESRRA_TARGETS in Spot A
1.0
0.5
0.0
−0.5
−1.0
Δe


Expression of STEIN_ESRRA_TARGETS in Spot B
Δe
1.0
0.5
0.0
−0.5
−1.0


Expression of STEIN_ESRRA_TARGETS in Spot C
Δe
1.0
0.5
0.0
−0.5
−1.0


Expression of STEIN_ESRRA_TARGETS in Spot D
Δe
1.0
0.5
0.0
−0.5
−1.0


Expression of STEIN_ESRRA_TARGETS in Spot E
Δe
1.0
0.5
0.0
−0.5
−1.0


Expression of STEIN_ESRRA_TARGETS in Spot F
Δe
1.0
0.5
0.0
−0.5
−1.0


Expression of STEIN_ESRRA_TARGETS in Spot G
1.0
0.5
0.0
−0.5
−1.0
Δe

Expression of STEIN_ESRRA_TARGETS in Spot H
1.0
0.5
0.0
−0.5
−1.0
Δe


Expression of STEIN_ESRRA_TARGETS in Spot I
Δe
1.0
0.5
0.0
−0.5
−1.0


Expression of STEIN_ESRRA_TARGETS in Spot J
Δe
1.0
0.5
0.0
−0.5
−1.0


Expression of STEIN_ESRRA_TARGETS in Spot K
Δe
1.0
0.5
0.0
−0.5
−1.0


Expression of STEIN_ESRRA_TARGETS in Spot L
Δe
1.0
0.5
0.0
−0.5
−1.0


Expression of STEIN_ESRRA_TARGETS in Spot M
1.0
0.5
0.0
−0.5
−1.0
Δe


Expression of STEIN_ESRRA_TARGETS in Spot N
Δe
1.0
0.5
0.0
−0.5
−1.0


Expression of STEIN_ESRRA_TARGETS in Spot O
1.0
0.5
0.0
−0.5
−1.0
Δe


Expression of STEIN_ESRRA_TARGETS in Spot P
1.0
0.5
0.0
−0.5
−1.0
Δe


Expression of STEIN_ESRRA_TARGETS in Spot Q
Δe
1.0
0.5
0.0
−0.5
−1.0


Expression of STEIN_ESRRA_TARGETS in Spot R
Δe
1.0
0.5
0.0
−0.5
−1.0