
SU_LIVER
GSZ
20
15
10
5
0
−5
−10


SU_LIVER
GSZ
20
15
10
5
0
−5
−10
Atypical
Classical
Mesenchymal
Basal


Enrichment in spots: SU_LIVER
log(p.value)
1.0
0.8
0.6
0.4
0.2
0.0
A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R


Expression of SU_LIVER in Spot A
1.0
0.5
0.0
−0.5
Δe


Expression of SU_LIVER in Spot B
1.0
0.5
0.0
−0.5
Δe


Expression of SU_LIVER in Spot C
1.0
0.5
0.0
−0.5
Δe


Expression of SU_LIVER in Spot D
1.0
0.5
0.0
−0.5
Δe


Expression of SU_LIVER in Spot E
1.0
0.5
0.0
−0.5
Δe


Expression of SU_LIVER in Spot F
1.0
0.5
0.0
−0.5
Δe


Expression of SU_LIVER in Spot G
1.0
0.5
0.0
−0.5
Δe


Expression of SU_LIVER in Spot H
1.0
0.5
0.0
−0.5
Δe


Expression of SU_LIVER in Spot I
1.0
0.5
0.0
−0.5
Δe


Expression of SU_LIVER in Spot J
1.0
0.5
0.0
−0.5
Δe


Expression of SU_LIVER in Spot K
Δe
1.0
0.5
0.0
−0.5


Expression of SU_LIVER in Spot L
1.0
0.5
0.0
−0.5
Δe


Expression of SU_LIVER in Spot M
1.0
0.5
0.0
−0.5
Δe


Expression of SU_LIVER in Spot N
1.0
0.5
0.0
−0.5
Δe


Expression of SU_LIVER in Spot O
1.0
0.5
0.0
−0.5
Δe


Expression of SU_LIVER in Spot P
Δe
1.0
0.5
0.0
−0.5


Expression of SU_LIVER in Spot Q
1.0
0.5
0.0
−0.5
Δe


Expression of SU_LIVER in Spot R
1.0
0.5
0.0
−0.5
Δe