
exon−exon junction complex
GSZ
20
15
10
5
0
−5
−10


exon−exon junction complex
GSZ
20
15
10
5
0
−5
−10
Atypical
Classical
Mesenchymal
Basal


Enrichment in spots: exon−exon junction complex
log(p.value)
0.0
0.1
0.2
0.3
0.4
0.5
0.6
A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R


Expression of exon−exon junction complex in Spot A
Δe
0.4
0.2
0.0
−0.2
−0.4


Expression of exon−exon junction complex in Spot B
Δe
0.4
0.2
0.0
−0.2
−0.4


Expression of exon−exon junction complex in Spot C
0.4
0.2
0.0
−0.2
−0.4
Δe


Expression of exon−exon junction complex in Spot D
Δe
0.4
0.2
0.0
−0.2
−0.4


Expression of exon−exon junction complex in Spot E
Δe
0.4
0.2
0.0
−0.2
−0.4


Expression of exon−exon junction complex in Spot F
0.4
0.2
0.0
−0.2
−0.4
Δe


Expression of exon−exon junction complex in Spot G
Δe
0.4
0.2
0.0
−0.2
−0.4


Expression of exon−exon junction complex in Spot H
Δe
0.4
0.2
0.0
−0.2
−0.4


Expression of exon−exon junction complex in Spot I
0.4
0.2
0.0
−0.2
−0.4
Δe


Expression of exon−exon junction complex in Spot J
0.4
0.2
0.0
−0.2
−0.4
Δe


Expression of exon−exon junction complex in Spot K
Δe
0.4
0.2
0.0
−0.2
−0.4

Expression of exon−exon junction complex in Spot L




Expression of exon−exon junction complex in Spot M
Δe
0.4
0.2
0.0
−0.2
−0.4


Expression of exon−exon junction complex in Spot N
0.4
0.2
0.0
−0.2
−0.4
Δe


Expression of exon−exon junction complex in Spot O
Δe
0.4
0.2
0.0
−0.2
−0.4


Expression of exon−exon junction complex in Spot P
0.4
0.2
0.0
−0.2
−0.4
Δe


Expression of exon−exon junction complex in Spot Q
0.4
0.2
0.0
−0.2
−0.4
Δe


Expression of exon−exon junction complex in Spot R
0.4
0.2
0.0
−0.2
−0.4
Δe