
nuclear pore
GSZ
20
15
10
5
0
−5
−10


nuclear pore
GSZ
20
15
10
5
0
−5
−10
Atypical
Classical
Mesenchymal
Basal


Enrichment in spots: nuclear pore
log(p.value)
8
6
4
2
0
A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R


Expression of nuclear pore in Spot A
Δe
1.5
1.0
0.5
0.0
−0.5
−1.0
−1.5


Expression of nuclear pore in Spot B
Δe
1.5
1.0
0.5
0.0
−0.5
−1.0
−1.5


Expression of nuclear pore in Spot C
Δe
1.5
1.0
0.5
0.0
−0.5
−1.0
−1.5


Expression of nuclear pore in Spot D
Δe
1.5
1.0
0.5
0.0
−0.5
−1.0
−1.5


Expression of nuclear pore in Spot E
Δe
1.5
1.0
0.5
0.0
−0.5
−1.0
−1.5


Expression of nuclear pore in Spot F
Δe
1.5
1.0
0.5
0.0
−0.5
−1.0
−1.5


Expression of nuclear pore in Spot G
Δe
1.5
1.0
0.5
0.0
−0.5
−1.0
−1.5


Expression of nuclear pore in Spot H
Δe
1.5
1.0
0.5
0.0
−0.5
−1.0
−1.5


Expression of nuclear pore in Spot I
Δe
1.5
1.0
0.5
0.0
−0.5
−1.0
−1.5


Expression of nuclear pore in Spot J
Δe
1.5
1.0
0.5
0.0
−0.5
−1.0
−1.5


Expression of nuclear pore in Spot K
Δe
1.5
1.0
0.5
0.0
−0.5
−1.0
−1.5


Expression of nuclear pore in Spot L
Δe
1.5
1.0
0.5
0.0
−0.5
−1.0
−1.5


Expression of nuclear pore in Spot M
Δe
1.5
1.0
0.5
0.0
−0.5
−1.0
−1.5


Expression of nuclear pore in Spot N
Δe
1.5
1.0
0.5
0.0
−0.5
−1.0
−1.5


Expression of nuclear pore in Spot O
Δe
1.5
1.0
0.5
0.0
−0.5
−1.0
−1.5


Expression of nuclear pore in Spot P
Δe
1.5
1.0
0.5
0.0
−0.5
−1.0
−1.5


Expression of nuclear pore in Spot Q
Δe
1.5
1.0
0.5
0.0
−0.5
−1.0
−1.5


Expression of nuclear pore in Spot R
Δe
1.5
1.0
0.5
0.0
−0.5
−1.0
−1.5